

Listing of Claims

The following listing of claims will replace all prior versions, and listings, of claims in the subject application:

Claims 1-48 (canceled).

49. (currently amended) A method for analyzing a sample oligonucleotide sequence in solution comprising:

- (a) forming a plurality of individually electronically addressable microscopic locations on a substrate, each microscopic location comprising a micro-electrode;
- (b) providing a permeation layer adjacent to said micro-electrode in each of said microscopic locations, said permeation layer having selective diffusion properties thereby permitting the free transport of counter-ions to said micro-electrode and inhibiting large binding entities from physical contact with said micro-electrode;
- (c) providing an attachment layer adjacent to said permeation layer in each of said microscopic locations;
- (d) electronically immobilizing one or more anchor sequences to said attachment layer in individually selected microscopic locations, wherein said one or more anchor sequences comprise oligonucleotide sequences capable of hybridizing with said sample oligonucleotide sequence;
- (e) contacting said sample oligonucleotide sequence with said one or more anchor sequences thereby allowing said sample oligonucleotide sequence to hybridize to said one or more anchor;
- (f) subjecting said individually selected microlocations to an electric field which moves unhybridized sample

oligonucleotide sequences away from said one or more anchor; and

- (g) determining whether said sample oligonucleotide sequence is hybridized to said one or more anchor sequences,

wherein at least about 5-25% of the surface of said micro-electrode is accessible to solvent molecules in the solution.

Claims 50-56 (canceled).

57. (previously presented) The method of claim 49, wherein step (e) additionally comprises subjecting said individually selected microlocations to an electric field which concentrates said sample oligonucleotide sequence near said one or more anchor sequences.

58. (previously presented) The method of claim 49, wherein each one of said one or more anchor sequences is from 6 to 100 bases.

Claims 59-78 (canceled).

79. (previously presented) The method of claim 49, wherein said sample oligonucleotide sequence is free to move and be transported between said microscopic locations on said substrate.

80. (previously presented) The method of claim 49, wherein step (g) further comprises:

- (i) adding a probe comprising an oligonucleotide sequence capable of hybridizing to a target oligonucleotide sequence forming part of said sample oligonucleotide sequence that is not hybridized to said one or more

- anchor sequences, thereby allowing said probe to hybridize to said target oligonucleotide sequence;
- (ii) subjecting said individually selected microscopic locations to an electric field which moves unhybridized probe oligonucleotide sequences away from said one or more anchor sequences; and
 - (iii) determining whether said probe is hybridized to said target oligonucleotide sequence.

81. (previously presented) The method of claim 49, wherein said permeation layer, said attachment layer, or both, are made from aminopropyltriethoxy silane.